Index for Volume 19 (1970)

COMPILED BY MARY SUE SCHNELL

Acid
  amino, 107
Acrididae, 145
Adams, Robert P., Contour mapping and differential systematics of geographic variation, 385–390
Adaptive hierarchical clustering schemes, F. James Rohlf, 58–82
Adding a point to a principal components analysis, Christopher Wilkinson, 258–263
Adenine, 100, 101, 103
Aedes, 62, 71, 72
Allopatry, 200, 338
Alpha-lactalbumin, 99
Amendment of Grant's paper on species-pairs of birds, G. F. Mees, 196–197
Anagenesis, 233
Analysis,
  character, 142–171
  cluster, 58–82, 176, 178–180, 182–183, 264–302
  network, 60
  principal components, 35–57, 59, 61, 258–263, 331–337
  Q-type, 42–44, 161
  R-type, 44, 161
Anopheles, 62, 71, 72
Anoplopoma fimbria, 23
Anous
  minutus, 36, 37, 42, 48, 50, 266–269, 271–274, 276–279, 281–284, 286–287, 298
  stolidus, 36, 37, 42, 46, 48, 50, 266–269, 271–274, 276–279, 281–284, 286–287, 297, 298
  tenuirostris, 36, 37, 42, 48, 50, 266–269, 271–274, 276–279, 281–284, 286–287, 298
Antedon, 309
Argodrepana, 258, 260
Ascaphidae, 87
Aschelminthes, 190
Ashmole, N. Philip, see Uzzell, Thomas, and ——
Aspen, 319
Astrapia
  mayeri, 347
  stephaniae, 347
Atlantic Ocean, North, 19–31
Aves, 35–57, 264–302
Azores, 28

Beetle
  carabid, 15
Benthosema glaciale, 21
Bering Strait, 27
Bermuda, 23, 28
Bezy, Robert L., see Lowe, Charles H., and ——
Biogeography, 10–11
  Antarctic, 14–15
Biology
  comparative, 373–384
  see also, Systematics
Biometry, 391–393
Biosystematics, 231
Bird of paradise, 347
Brama brama, 21
Briggs, John C., A faunal history of the North Atlantic Ocean, 19–34
Bryozoa, 190–192

Candida, 108
Cape Verde Islands, 23, 28
Carabidae, 11–12
Catharacta skua, 36, 37, 40, 265, 266–274, 276–279, 281–284, 286–287
Celtis pallida, 116
Cetorhinus maximus, 21
Ceuthophilus
  angulosus, 148
  guttulosus, 148
  thomasi, 148
Chaetognath, 21
Character
  bearers, definition of, 2
  definition of, 2
  state tree, 184
  weighting, 247–249
Charadriiformes, 35–57
Chauliodus macouni, 23
Cheetham, Alan H., Morphology and systematics of the bryozoan genus *Metrarabdotus* (rev.), 190–192
Chicken
  nucleotide replacements in, 108
Chlaenius, 13
Chlidonias
  hybrida, 36, 37, 41, 46, 48, 50, 265, 266–269, 271–274, 276–279, 281–284, 286–287, 298
  leucoptera, 36, 37, 41, 46, 48, 50, 265, 266–269, 271–274, 276–279, 281–284, 286–287, 298
  nigra, 36, 37, 41, 46, 48, 50, 265, 266–269, 271–274, 276–279, 281–284, 286–287, 298
Cholla, cane, 116
Chorthippus brunneus, 397, 398
Chromosomes
  Cnemidophorus, 128–141
Chromosomes and evolution of the species groups of *Cnemidophorus* (Reptilia: Teiidae), Charles H. Lowe, John W. Wright, Charles J. Cole, and Robert L. Bezy, 128–141

Cladism, 1–17
Cladistics, 228, 230–234
Cladogenesis, 233
Cladogram
  definition of, 7–8, 228
Classification, 205, 212–219, 230–234
  biological, 240–250, 383
  evolutionary, 352
  phenetic, 293–295, 352
  phyletic, 144–145
  phlogenetic, 393–396
Clinocephalus elegans, 145
Cnemidophorus, 194, 195
  alpinus, 133
  angusticeps, 133
  burti, 133
  calidipes, 133
  celeripes, 133
  ceralbensis, 130
  communis, 133
  costatus, 133
  cozumelus, 130
  deppei, 128–141
  exsanguis, 133
  flagellicaudus, 133
  gularis, 133
  guttatus, 130
  hyperythrus, 128–141
  inornatus, 117, 133
  labialis, 133
  lemniscatus, 128–141
  lineatissimus, 130
  maximus, 133
  mexicanus, 133
  motaguae, 133
  murinus, 132
  neomexicanus, 125, 135
  ocellifer, 132
  opatae, 133
  parvisocius, 133
  sacki, 133
  septemvittatus, 133
  sexlineatus, 128–141
  sonorae, 114–127, 133
  tesselatus, 128–141
  tigris, 114–127, 128–141
  uniparens, 114, 117, 119, 133
  velox, 133
Coccolith, 23
Coding
  additive, 180, 182
  non-additive, 180, 182
  semi-additive, 180, 182
Cole, Charles J., see Lowe, Charles H., and ——
Colless, Donald H., Type-specimens: their status and use, 251–253
Colless, Donald H., The phenogram as an estimate of phylogeny, 352–362
Contour mapping and differential systematics of geographic variation, Robert P. Adams, 385–390
Cordillacris
  crenulata, 145
  occipitalis, 145
Corvus
  cornix, 346
  corone, 346
Creagrus furcatus, 36, 37, 41, 45, 47, 266–269, 271–274, 276–279, 281–287
Cricket
  camel, 148
Crinoid order Declinida Knapp, 1969, on the N. Gary Lane, 308–310
Crow
  European, 346
Crowson, R. A., review by, 393–396
Crusafont-Pairó, M., and S. Reguant, The nomenclature of intermediate forms, 254–257
Culex, 62, 71, 72
Culiseta, 62, 71
Cytochrome
  fungal, 100
  metazoan, 100
Cytosine, 100, 102, 103, 104

Darlington, P. J., Jr., A practical criticism of Hennig-Brundin "Phylogenetic Systematics" and Antarctic biogeography, 1–18
Dayhoff, Margaret O., Atlas of protein sequence and structure, 1969 volume 4 (rev.), 192
Declinida, 308–310
Democricetodon
  bi-koenigswaldi-darocensis, 256
  darocensis, 256
  koenigswaldi, 256
  larteti, 256
  minor, 255
Dendragapus
  "fuliginosus", 200
  obscurus, 200
Dendrophis pictus, 3
Diaphus rafinesqui, 23
Dichotomy, 3–4
Dichromorpha
  robusta, 145
  viridis, 145
Dipodomys ordii, 148
Dipriodonta sericea, 258, 259, 262
Discoglossidae, 87
Distinguishing homologous from analogous proteins, Walter M. Fitch, 99–113
Ditrigona, 258, 261, 262
Divergence
  morphological, 5–6
DNA, 226, 227, 228
Dog
  nucleotide replacement in, 108
Donkey
  nucleotide replacement in, 108

Drosophila, 108, 194
gaucha, 367
parvani, 367
Duck
nucleotide replacement in, 108

Eades, David C., Theoretical and procedural aspects of numerical phyletics, 142–171
Eckardt, Michael J., see Farris, James S., and ——
Electrophysiological evidence of relationships in acridid insects, U. Yinon, 397–398
Embryology
comparative, 190
Eopterum devonicum, 394
Epicauta, 148
Erilepis zonifer, 23
Eucalyptus, 231
Euphausiid, 21, 23
Evolution, 4–5, 254
of *Cnemidophorus*, 128–141
convergent, 100–102
divergent, 100–102
model convergent, 110
in orioles, 315–351
rate of, 5–6
Evolutionary tree, 83–92

Farris, James S., Methods for computing Wagner trees, 83–92
Farris, James S., Arnold G. Kluge, and Michael J. Eckardt, A numerical approach to phylogenetic systematics, 172–189
Farris, James S., Arnold G. Kluge, and Michael J. Eckardt, On predictivity and efficiency, 363–372
Fauna
boreal shelf, 19–20
marine, 19–34
pelagic, 21–23
shore, 19–20
Faunal history of the North Atlantic Ocean, a, John C. Briggs, 19–34
Fish
epipelagic, 21
lantern, 21
melamphaid, 21
Fitch, Walter M., Distinguishing homologous from analogous proteins, 99–113
Fly
screwworm, nucleotide replacement in, 108
Foraminifera, 23–24, 25

Gabianus
pacificus, 36, 37, 40, 45, 265, 266–269, 271–274, 276–279, 281–284, 286–287
scoresbii, 36, 37, 40, 45, 265, 266–269, 271–274, 276–279, 281–284, 286–287
Gelochelidon nilotica, 36, 37, 41, 265, 266–269, 271–274, 276–279, 281–284, 286–287
Genetics
population, 4–5
Globigerina pachyderma, 24
Gonostoma gracile, 23
Goodall, David W., The third annual conference on numerical taxonomy, 303–306
Grackle, 346
Guanine, 100, 101, 102, 103, 104
Gygis alba, 36, 37, 42, 45, 48, 266–269, 271–279, 281–284, 286–287, 296, 298

Hackberry
desert, 116
Halibut
Greenland, 28
Hawaii, 28
Hemoglobin, 99
Hennig, Willi, Die stammesgeschichte der insekten (rev.), 393–396
Herring, 21
Hersh, Robert, review by, 192
Hierops arctica, 21
Histioteuthis bonellii, 21
Hodges, Ronald W., Society of Systematic Zoology, minutes of the 1968 annual meeting, 313–314
Homeostasis, 4–5
Homology, 93, 241–244, 377, 378–379
genetic, 353
operational, 219
morphological, 219–220
Homoplasy, 353
Homo sapiens, 254
Hornworm
nucleotide replacement in, 108
Horse
nucleotide replacement in, 108
Hybridization, 114–127, 197–199, 200–202
interspecific, 114
in orioles, 315–351
Hydromedusae, 21
Hydroprogne tschegrava, 36, 37, 41, 45, 47, 48, 265, 266–274, 276–287
Hygophum
benoiti, 21
hygomi, 21

Icteridae, 315–351
Icterus
abeillei, 315–351
bullockii, 315–351
galbula, 315–351
Inglis, W. Grant, Similarity and homology, 93
Inglis, W. Grant, The purpose and judgments of biological classifications, 240–250
Isomorphism, 229

Jackson, James F., Lognormal scale counts, 194–196
Johnson, L. A. S., Rainbow's end: the quest for an optimal taxonomy, 203–239

Johnston, Richard F., Society of Systematic Zoology, report of the editor for 1969, 313
Juniperus
ashei, 386
pinchotii, 385–390

Kaesler, Roger L., review by, 190–192, 306–307
Kangaroo
nucleotide replacement in, 108
Karyology, 128–141
Karyotype
in *Cnemidophorus*, 117–126
Kluge, Arnold G., see Farris, James S., and ——

Lamna nasus, 21
Lampanyctus
intricarius, 21
jordani, 23
leucopsaurus, 23
nannochir, 23
regalis, 23
Lane, N. Gary, On the crinoid order Declinida Knapp, 1969, 308–310
Language of zoological names, the, George C. Steyskal, 94–97
Lari, 35–57, 264–302
Larosterna inca, 36, 37, 41, 46, 48, 50, 266–269, 271–284, 286–287, 298
Larus
argentatus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–297
atricilla, 36, 37, 40, 49, 266–269, 271–274, 276–279, 281–284, 286–287
audouinii, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287, 294
belcheri, 36, 37, 40, 45, 266–269, 271–274, 276–279, 281–284, 286–287
brunnicephalus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287, 294
bulleri, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
californicus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
canus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
cirrocephalus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
crassirostris, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
delawarensis, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
dominicanus, 36, 37, 40, 45, 266–269, 271–274, 276–279, 281–284, 286–287
fuliginosus, 36, 37, 40, 49, 266–269, 271–274, 276–279, 281–284, 286–287
fuscus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
genei, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
glaucescens, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
heermanni, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
hemprichii, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
hyperboreus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
ichthyaetus, 36, 37, 40, 45, 49, 51, 266–269, 271–274, 276–279, 281–287, 298
leucophthalmus, 36, 37, 40, 48, 266–269, 271–274, 276–279, 281–284, 286–287
leucopterus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
maculipennis, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
marinus, 36, 37, 40, 45, 266–269, 271–274, 276–279, 281–284, 286–287
melanocephalus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
minutus, 36, 37, 40, 45, 48, 266–274, 276–279, 281–287, 298
modestus, 36, 37, 40, 266–269, 271–274, 276–284, 286–287
novae-hollandiae, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
occidentalis, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
philadelphia, 36, 37, 40, 266–274, 276–279, 281–284, 286–287
pipixcan, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
ridibundus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
saundersi, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287, 294
schistasagus, 36, 37, 40, 266–269, 271–274, 276–279, 281–287, 294
serranus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
thayeri, 36, 40, 266–269, 271–274, 276–279, 281–284, 286–287
Lepidoptera, 258
Levi, Herbert W., review by, 190
Lizard
teiid, 114–127
whiptail, 114–127
Locusta migratoria migratorioides, 397
Lognormal scale counts, James F. Jackson, 194–196
Lowe, Charles H., John W. Wright, Charles J. Cole, and Robert L. Bezy, Natural hybridization between the teiid lizards *Cnemidophorus sonorae* (parthenogenetic) and *Cnemidophorus tigris* (bisexual), 114–127
Lowe, Charles H., John W. Wright, Charles J. Cole, and Robert L. Bezy, Chromosomes and evolution of the species groups of *Cnemidophorus* (Reptilia: Teiidae), 128–141

Lynx
issiodorensis, 254–255
lynx, 254–255
Lysozyme, 99

Mackerel
Atka, 22
Atlantic, 21
Madeira, 28
Mammal
marsupial, 11
monotreme, 11
placental, 11
Man
nucleotide replacement in, 108
Mansonia, 71
Maoripamborus, 15
Map
contour, 385–390
Marsupial, 11
Matches asymtote hypothesis, 247
Mees, G. F., Amendment of Grant's paper on species-pairs of birds, 196–197
Melanoplus, 397
Melidectes
belfordi, 346, 347
leucostephes, 346, 347
Mesquite, 116
Methods for computing Wagner trees, James S. Farris, 83–92
Metrarabdotus, 190–192
Micraster, 254
Microhylidae, 87
Micromalthus, 396
Midge
chironomid, 5
Mollusca, 306–307
Monotreme, 11
Moroteuthis robusta, 23
Morphological variation and evolution in some North American orioles, James D. Rising, 315–351
Moth
samia
nucleotide replacement in, 108
Mouse,
house, 346
Mus musculus, 346
Mutation distance, 100
Mya, 25
Myctophum
asperum, 23
californiense, 23
punctatum, 21
Myoglobin, 99

Natrix fasciata, 194
Natural hybridization between the teiid lizards *Cnemidophorus sonorae* (parthenogenetic) and *Cnemidophorus tigris* (bisexual), Charles H. Lowe, John W. Wright, Charles J. Cole, and Robert L. Bezy, 114–127
Nelson, Gareth J., Outline of a theory of comparative biology, 373–384
Nemathelminthes, 190
Nematoscelis difficilis, 22
Neurospora, 108
Nexus hypothesis, 245–246
Nolotepis rissoi kroyeri, 21
Nomenclature
zoological, 94–97
Nomenclature of intermediate forms, the, M. Crusafont-Pairó and S. Reguant, 254–257
Nomina and taxa dubia, Hobart M. Smith, 94
Nonspecificity hypothesis, 245–247
Nucleotide, 99–113
Numerical approach to phylogenetic systematics, a, James S. Farris, Arnold G. Kluge, and Michael J. Eckardt, 172–189
Numerical taxonomy, see Taxonomy, numerical
Nummulites
biedai, 257
crusafonti, 257
puigsecensis, 257
pungsecensis, 257
Nyctiphanes couchii, 21
Oncorhynchus
gorbuscha, 22
keta, 22
kisutch, 23
nerka, 22
tshawytscha, 23

Opuntia spinosior, 116
Ordination, 207–212
Oriole
Baltimore, 315–351
black-backed, 315–351
Bullock, 315–351
Orphula pagana, 145
Orphulella
compta, 145
concinnula, 145
olivacea, 145
pelidna, 145
punctata, 145
speciosa, 145
tepaneca, 145
Orthopodomyia, 62, 71, 72
Orthoptera, 145
Outline of a theory of comparative biology, Gareth J. Nelson, 373–384

Pagophila eburnea, 36, 37, 40, 49, 265, 266–269, 271–287
Paleoclimate, 19–34
Paludina, 254
Pamborus, 15
Paralepid, 21

Parodiz, Juan J., The Tertiary non-marine Mollusca of South America (rev.), 306–307
Parsimony, 176
Parthenogenesis, 114
Passer domesticus, 299
Pelecypod, 26
Pelobatidae, 87
Penguin
  nucleotide replacement in, 108
Peripatus, 394
Phaetusa simplex, 36, 37, 41, 45, 48, 53, 266–269, 271–274, 276–279, 281–284, 286–287
Phenetic study of the suborder Lari (Aves) I. Methods and results of principal components analysis, a, Gary D. Schnell, 35–57
Phenetic study of the suborder Lari (Aves) II. Phenograms, discussion, and conclusions, a, Gary D. Schnell, 264–302
Pheneticism, 206–207
Phenetics, 35–57, 58–82, 142–171, 222–227, 258–263, 264–302
  also see, Taxonomy, numerical
Phenogram as an estimate of phylogeny, the, Donald H. Colless, 352–362
Phlibostroma quadrimaculatum, 145
Phyletics
  numerical, 142–171, 203–239
Phylogenesis, 5
Phylogenetics, 1–17, 172–189
Phylogeny, 254–257, 352–362
Pig
  nucleotide replacement in, 108
Pigeon
  nucleotide replacement in, 108
Pipidae, 87
Pipilo
  erythrophthalmus, 200
  "*maculatus*", 200
Placental, 11
Pleurogrammus monopterygius, 22
Points of view, 93–97, 194–202, 308–310, 397–398
Pollock
  walleye, 22
Polychaete, 23
Polyploidy, 114–127
Pomfret, 21
Populus
  deltoides, 318
  spp., 319
Potamides, 254
Power, Dennis M., review by, 391–393
Practical criticism of Hennig-Brundin "Phylogenetic Systematics" and Antarctic biogeography, a, P. J. Darlington, Jr., 1–18
Predictivity and efficiency, on, James S. Farris, Arnold G. Kluge, and Michael J. Eckardt, 363–372
Procelsterna cerulea, 36, 37, 42, 46, 48, 49, 266–269, 271–274, 276–279, 281–284, 286–287
Prosopis juliflora, 116
Protein
  analogous, 99–113
  convergently evolving, 106–111
  homologous, 99–113
  sequence, 192
Pseudodyromis
  bi-ibericus-simplicidens, 256
  ibericus, 256
  simplicidens, 256
Puknoblattina, 395
Purpose and judgements of biological classifications, the, W. Grant Inglis, 240–250

Queen Elizabeth Islands, 27
Quiscalus, 346

Rabbit
  nucleotide replacement in, 108
Rainbow's end: the quest for an optimal taxonomy, L. A. S. Johnson, 203–239
Rat
  kangaroo, 148
Rattlesnake
  nucleotide replacement in, 108
Reguant, S., see Crusafont-Pairó, M., and ——
Reinhardtius hippoglossoides, 28
Reply to Uzzell and Ashmole, a, Lester L. Short, 199–202
Reviews, 190–193, 306–308, 391–396
Rhinophrynidae, 87
Rhodostethia rosea, 36, 37, 40, 266–287
Rising, James D., Morphological variation and evolution in some North American orioles, 315–351
Rissa
  brevirostris, 36, 37, 41, 48, 265, 266–269, 271–274, 276–279, 281–284, 286–287
  tridactyla, 36, 37, 40, 48, 265, 266–269, 271–274, 276–279, 281–284, 286–287
Rohlf, F. James, Adaptive hierarchical clustering schemes, 58–82
Rohlf, F. James, and Robert R. Sokal, Statistical tables (rev.), 391–393
Rohlf, F. James, see Sokal, Robert R., and ——
Rynchops
  albicollis, 36, 37, 42, 266–269, 271–274, 276–279, 281–284, 286–287
  flavirostris, 36, 37, 42, 266–269, 271–274, 276–279, 281–284, 286–287
  nigra, 36, 37, 42, 266–269, 271–274, 276–279, 281–284, 286–287

Sablefish, 23
Saccharomyces, 108
Sagitta
  elegans, 21
  hexaptera, 21
  lyra, 21
  scrippsae, 22

tasmanica, 21
zetesios, 21
Salix, 291
Salmo gairdneri, 23
Salmon
chinook, 23
chum, 22
coho, 23
Pacific, 22
pink, 22
sockeye, 22
Scaling
multi-dimensional, 59–60
Schistocerca, 398
Schnell, Gary D., A phenetic study of the suborder Lari (Aves) I. Methods and results of principal components analyses, 35–57
Schnell, Gary D., A phenetic study of the suborder Lari (Aves) II. Phenograms, discussion, and conclusions, 264–302
Sciurus niger, 318
Scomber scombrus, 21
Scopelogadus beanii, 21
Shark
basking, 21
mackerel, 21
Short, Lester L., A reply to Uzzell and Ashmole, 199–202
Shrimp
pelagic, 21
Siewing, Rolf, Lehrbuch der vergleichenden Entwicklungs-geschichte (rev.), 190
Similarity and homology, W. Grant Inglis, 93
Simon, Joseph L., Society of Systematic Zoology, report of the program chairman for 1969, 313
Sisantum notochloris, 145
Skilfish, 23
Smith, Hobart M., Nomina and taxa dubia, 94
Society of Systematic Zoology
minutes of the 1968 annual meeting, 313–314
minutes of the 1969 annual meeting, 310–311
report of the editor for 1969, 313
report of the program chairman for 1969, 313
report of the secretary for 1969, 311
report of the treasurer for 1969, 311–313
Sokal, Robert R., and F. James Rohlf, Biometry: the principles and practice of statistics in biological research (rev.), 391–393
Species concept, 315–351
Spermophilus, 321
Sphyrapicus
"daggetti," 200
ruber, 200
Squid, 21, 23
Squirrel
fox, 318
ground, 321
Stage, Gerald I., Society of Systematic Zoology, minutes of the 1969 annual meeting, 310–311
report of the secretary for 1969, 311
Statistics
multivariate, 35–57, 264–302
Stercorarius
longicaudus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
parasiticus, 36, 37, 40, 266–269, 271–274, 276–279, 281–284, 286–287
pomarinus, 36, 37, 40, 265, 266–269, 271–274, 276–279, 281–284, 286–287
Sterna
albifrons, 36, 37, 41, 45, 265, 266–269, 271–274, 276–279, 281–284, 286–287
albistriata, 36, 37, 41, 46, 48, 265, 266–279, 281–284, 286–287, 294
aleutica, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
anaethetus, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
aurantia, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287, 294
balaenarum, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287, 295
dougallii, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
forsteri, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
fuscata, 36, 37, 41, 53, 266–269, 271–274, 276–279, 281–284, 286–287
hirundinacea, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
hirundo, 36, 37, 38, 41, 266–269, 271–274, 276–279, 281–284, 286–287
lorata, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
lunata, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
melanogaster, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287, 295
nereis, 36, 37, 41, 46, 48, 265, 266–279, 281–284, 286–287
paradisaea, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
repressa, 36, 37, 266–269, 271–274, 276–279, 281–284, 286–287, 295
striata, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
sumatrana, 36, 37, 41, 48, 266–269, 271–274, 276–279, 281–284, 286–287
superciliaris, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
trudeaui, 36, 37, 41, 48, 266–269, 271–279, 281–284, 286–287
virgata, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287, 294, 295
vittata, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287
Steyskal, George C., the language of zoological names, 84–97
Stomias boa ferox, 21

Stomiatid, 21
Suture-zones: an alternative view, Thomas Uzzell, and N. Philip Ashmole, 197–199
Swordfish, 21
Symbolophorus veranyi, 21
Systematics
  differential, 385–390
  phylogenetic, 1–17, 172–189
  quantitative, 142–171

Taximetrics, 222–229, 249
Taxonomy, 203–239
  cladist, 9–10
  evolutionary, 83–92, 363–372
  numerical, 35–57, 58–82, 172–189, 190–192, 203–239, 264–302, 352–362, 393–396
    techniques of, 258–263
    third annual conference on, 303–306
    see also, Phyletics, numerical
  phenetic, 35–57, 264–302, 352–262
    see also, Phenetics; Taxonomy, numerical
Taylor, William R., Society of Systematic Zoology, report of the treasurer for 1969, 311–313
Teiidae, 128–141
Teldenia, 258, 260
Tessarabrachion oculatus, 23
Thalasseus
  bengalensis, 36, 37, 41, 45, 48, 266–269, 271–279, 281–284, 286–287
  bergii, 36, 37, 41, 45, 266–274, 276–284, 286–287
  elegans, 36, 37, 41, 45, 266–269, 271–274, 276–279, 281–284, 286–287
  eurygnatha, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287, 294
  maximus, 36, 37, 41, 45, 47, 265, 266–274, 276–284, 286–287
  sandvicensis, 36, 37, 41, 45, 266–269, 271–274, 276–279, 281–287
  zimmermanni, 36, 37, 41, 266–269, 271–274, 276–279, 281–284, 286–287, 294
Thamnophis elegans, 194
Theoretical and procedural aspects of numerical phyletics, David C. Eades, 142–171
Theragra chalcogrammus, 22
Thunnus thynnus, 21
Thysanoessa
  inermis, 21
  raschii, 21
Tomopterus pacifica, 23
Trout
  steelhead, 23
Tuna
  bluefin, 21
  nucleotide replacement in, 108
Turtle
  nucleotide replacement in, 108
Type-specimens: their status and use, Donald H. Colless, 251–253

Ucko, Peter J., and G. W. Dimbleby, ed., The domestication and exploitation of plants and animals (rev.), 307–308
Ulmus pumila, 318
Uracil, 100, 101, 103, 104
Uranotaenia, 71
Uzzell, Thomas, and N. Philip Ashmole, Suture-zones: an alternative view, 197–199

Variation
  geographic, 385–390
    in orioles, 315–351
  morphological
    in orioles, 315–351
Verticaria, 132

Wagner trees, 83–92, 185, 186
Wilkinson, Christopher, Adding a point to principal coordinates analysis, 258–263
Wright, John W., see Lowe, Charles H., and ——
Wyeomyia, 71

Xema sabini, 36, 37, 41, 266–269, 271–279, 281–287
Xiphias gladius, 21

Yinon, U., Electrophysiological evidence of relationships in acridid insects, 397–398
Yochelson, Ellis L., review by, 307–308

Zaphrentis, 254
Zoogeography, 3–4, 19–34
Zosterops
  albogularis, 196, 197
  tenuirostris, 196

THE SOCIETY OF SYSTEMATIC ZOOLOGY

Systematic Zoology

VOLUME 19, 1970

NUMBERS 1–4

ISSUED 1970, LAWRENCE, KANSAS, U.S.A.

Systematic Zoology

PUBLISHED BY
THE SOCIETY OF SYSTEMATIC ZOOLOGY

Editor
RICHARD F. JOHNSTON

Assistant Editors
DAVID M. NILES AND SIEVERT A. ROHWER
The University of Kansas, Lawrence, Kansas

Editorial Board

W. A. CLEMENS University of California, Berkeley	1970	I. C. J. GALBRAITH British Museum (Natural History)
D. H. COLLESS Commonwealth Scientific and Industrial Research Organization, Australia		
D. L. HULL University of Wisconsin, Milwaukee	1971	W. E. LANYON American Museum of Natural History
P. H. A. SNEATH University of Leicester		A. C. WILSON University of California, Berkeley
M. T. GHISELIN University of California, Berkeley	1972	R. J. SCHULTZ University of Connecticut
S. J. GOULD Harvard University		D. B. WAKE University of Chicago

The Society of Systematic Zoology

OFFICERS FOR 1970

President	*President-elect*
JOHN O. CORLISS University of Maryland	ROBERT F. INGER Field Museum of Natural History
Secretary	*Treasurer*
GERALD I. STAGE United States National Museum	WILLIAM R. TAYLOR United States National Museum

Program Chairman
JOSEPH L. SIMON
University of South Florida

THE COUNCIL

W. F. BLAIR University of Texas	1970	J. W. HEDGPETH Oregon State University
B. SCHAEFFER American Museum of Natural History		
D. AMADON American Museum of Natural History	1971	H. F. HOWDEN Canada Department of Agriculture
J. K. JONES, JR. University of Kansas		
W. K. EMERSON American Museum of Natural History	1972	D. S. FARNER University of Washington
R. B. SELANDER University of Illinois		

and *ex-officio*, the President, the President-elect,
and the most recent Past-president
(C. D. MICHENER)

Contents of Volume 19

NUMBER 1

A Practical Criticism of Hennig-Brundin "Phylogenetic Systematics" and Antarctic Biogeography	*P. J. Darlington, Jr.*	1
A Faunal History of the North Atlantic Ocean	*John C. Briggs*	19
A Phenetic Study of the Suborder Lari (Aves) I. Methods and Results of Principal Components Analyses	*Gary D. Schnell*	35
Adaptive Hierarchical Clustering Schemes	*F. James Rohlf*	58
Methods for Computing Wagner Trees	*James S. Farris*	83
Points of View		
Similarity and Homology	*W. Grant Inglis*	93
Nomina and Taxa Dubia	*Hobart M. Smith*	94
The Language of Zoological Names	*George C. Steyskal*	94
Notices		98

NUMBER 2

Distinguishing Homologous from Analogous Proteins	*Walter M. Fitch*	99
Natural Hybridization Between the Teiid Lizards *Cnemidophorus sonorae* (Parthenogenetic) and *Cnemidophorus tigris* (Bisexual)	*Charles H. Lowe, John W. Wright, Charles J. Cole, and Robert L. Bezy*	114
Chromosomes and Evolution of the Species Groups of *Cnemidophorus* (Reptilia: Teiidae)	*Charles H. Lowe, John W. Wright, Charles J. Cole, and Robert L. Bezy*	128
Theoretical and Procedural Aspects of Numerical Phyletics	*David C. Eades*	142
A Numerical Approach to Phylogenetic Systematics	*James S. Farris, Arnold G. Kluge, and Michael J. Eckardt*	172
Reviews		
Lehrbuch der Vergleichenden Entwicklungsgeschichte	*Herbert W. Levi*	190
Morphology and Systematics of the Bryozoan Genus Metrarabdotus	*Roger L. Kaesler*	190
Atlas of Protein Sequence and Structure, 1969 Volume 4	*Robert Hersh*	192
Also Received		193
Points of View		
Lognormal Scale Counts	*James F. Jackson*	194
Amendment of Grant's Paper on Species-pairs of Birds	*G. F. Mees*	196
Suture-zones: an Alternative View	*Thomas Uzzell and N. Philip Ashmole*	197
A Reply to Uzzell and Ashmole	*Lester L. Short*	199
Announcement		202

NUMBER 3

Rainbow's End: The Quest For an Optimal Taxonomy	*L. A. S. Johnson*	203
The Purposes And Judgements of Biological Classifications	*W. Grant Inglis*	240
Type-Specimens: Their Status And Use	*Donald H. Colless*	251
The Nomenclature of Intermediate Forms	*M. Crusafont-Pairó and S. Reguant*	254
Adding a Point to a Principal Coordinates Analysis	*Christopher Wilkinson*	258
A Phenetic Study of The Suborder Lari (Aves) II. Phenograms, Discussion, And Conclusions	*Gary D. Schnell*	264
The Third Annual Conference on Numerical Taxonomy	*David W. Goodall*	303
Reviews		
The Tertiary Non-Marine Mollusca of South America	*Roger L. Kaesler*	306
The Domestication and Exploitation of Plants and Animals	*Ellis L. Yochelson*	307
Points of View		
On The Crinoid Order Declinida Knapp, 1969	*N. Gary Lane*	308
SSZ Annual Meetings: Minutes and Reports		310
Announcement		314

NUMBER 4

Morphological Variation and Evolution in some North American Orioles	*James D. Rising*	315
The Phenogram as an Estimate of Phylogeny	*Donald H. Colless*	352
On Predictivity and Efficiency	*James S. Farris, Arnold G. Kluge, and Michael J. Eckardt*	363
Outline of a Theory of Comparative Biology	*Gareth J. Nelson*	373
Contour Mapping and Differential Systematics of Geographic Variation	*Robert P. Adams*	385
Reviews		
Biometry, the Principles and Practice of Statistics in Biological Research *and* Statistical Tables	*Dennis M. Power*	391
Die Stammesgeschichte der Insekten	*R. A. Crowson*	393
Points of View		
Electrophysiological Evidence of Relationships in Acridid Insects	*U. Yinon*	397
Announcement		396
Index, Volume 19 (1970)	*Compiled by Mary Sue Schnell*	399